

# Power bi could not load file or assembly system enterpriseservices

Why is Power BI not loading a file or assembly?

Either a required impersonation level was not provided,or the provided impersonation level is invalid" - Power BI Point Fix Power BI refresh error: "Could not load file or assembly ...or one of its dependencies. Either a required impersonation level was not provided,or the provided impersonation level is invalid"

Why does Power BI Desktop not start?

Rarely,Power BI Desktop might fail to start and displays a gray window,or an error message that mentions WebView2. Most cases are caused by a program on your machine,usually antivirus software. To verify whether a program is causing the issue,take the following steps: Close Power BI Desktop.

Does Power BI install OLE DB drivers for SQL Server?

By default,Power BI installs OLE DB drivers for SQL Server. However,Microsoft's own documentation recommends installing the SQL Server Native Client (versions 11.0 or 10.0) for improved performance. Additionally,repair the installation of the .NET Framework. For this,Microsoft provides a tool that can be downloaded [here](#).

How do I connect Power BI to a SQL database?

Just restart the Power BI desktop, and you will be connected to your SQL database. 10-22-2020 07:20 AM It did help. And I spent many hours on researching in regards to the error.

Why is my Power BI report not updating?

Are you trying to update your Power BI report, both in the Power BI Desktop and the Power BI service, and encountering an error similar to the message below: The solution to this issue depends on the environment where the refresh is being performed (Power BI desktop or Power BI service) and the type of connector.

Can I Open Power BI Desktop as an administrator?

You can launch Power BI Desktop as an administrator,which also allows Power BI Desktop to successfully open. It's still recommended to install the latest version of the Power BI on-premises data gateway. Power BI Desktop is a multiprocess architecture,and several of these processes communicate by using Windows named pipes.

I had the same problem on my installation but only after I had installed the Microsoft Store version of Power BI Desktop. The only way I could get an SQL Database to connect as a data source was to run Power BI as administrator as mentioned by others on ...

Hey everyone, I'm working on setting up a 3rd party Business Intelligence contractor with PowerBi and on-premises SQL access. Here's the situation: -The contractor is from another company and uses a

## Power bi could not load file or assembly system enterpriseservices

domain-joined machine that their company provides.-My company also runs its own domain, with the DC and SQL server on-site. We've set up a data ...

Could not load file or assembly "System.EnterpriseServices, Version=4.0.0.0 ?06-04-2020 08:00 AM Hi, I am trying to point a report (from my desktop) to 2k19 sql server on a win2k19 as well, when I try to apply any changes, I get the following error:

Error: Could not load file or assembly "System.EnterpriseServices.Wrapper.dll. or "System.EnterpriseServices.Wrapper.dll" or one of its dependencies. is not a valid Win32 application. (Exception from HRESULT: 0x800700C1) : Could not load file or assembly

Unhandled Exception: System.IO leNotFoundException: Could not load file or assembly "System.EnterpriseServices, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a" or one of its dependencies. I have tried adding the System.EnterprisServices.dll to the Assets folder, but that doesn't work. Any ideas?

How to fix. For each of the scenarios below, there are two steps that should be checked if you are attempting to refresh from your Power BI Desktop (from your machine) or through the Power BI service (via a gateway). So, before proceeding to the next steps, ensure that the requirements below are met according to your scenario.

Create a query that works opening excel with admin user, and save the excel file. Open excel with regular user, and open file saved in previous step. Go to Edit query (Power Query Editor) -&gt; Configure data source button -&gt; Edit permissions -&gt;Uncheck cipher connection. Solved. Any new query you create will work as usual

Stack Overflow for Teams Where developers & technologists share private knowledge with coworkers; Advertising & Talent Reach devs & technologists worldwide about your product, service or employer brand; OverflowAI GenAI features for Teams; OverflowAPI Train & fine-tune LLMs; Labs The future of collective knowledge sharing; About the company ...

Power BI 101 Interview questions!! !! Master Microsoft Fabric- 36 Videos!! Microsoft Power BI Learning Resources, 2023 !! Learn Power BI - Full Course with Dec-2022, with Window, Index, Offset, 100+ Topics !! Did I answer your question? Mark my post as a solution! Appreciate your Kudos !! Proud to be a Super User!!

You can connect to SQL Server in Power BI Desktop using SQL authentication credentials. Choose Database option in the following screenshot, then enter your username and password to connect to SQL Server. See more ...

Simple solution. It's likely that your credentials and queries are just fine. The solution for my particular issue

## Power bi could not load file or assembly system enterpriseservices

here, and the meaning behind the "impersonation level" part of ...

You need to make sure to run the Power BI Desktop application with Run as administrator mode and then try connecting the Azure SQL database from the Power BI Desktop again. The moment I did the same thing, I could successfully connect to the Azure SQL Database without any issues. 1. Right-click on Power BI Desktop and select Run as ...

When I asked our PowerBI admin to give me admin rights on the gateway the issue was resolved and our dataflow load time went back to expected (20 minutes instead of 2 hours). View solution in original post. Message 3 of 5 15,030 Views 0 Reply. ... Power BI Monthly Update - October 2024. Check out the October 2024 Power BI update to learn about ...

As the error message mentioned, it seems a permission issue when loading the assembly, please try to run Power BI Desktop as administrator. If it still doesn't work, please repair your Framework, restart your server ...

Error: &quot;Could not load file or assembly "System.EnterpriseServices&quot; can be resolved by reinstalling your Framework. Reinstall your Framework (3.5 or above) and restart your computer and try again. Click this link if you need to download a Framework.

Message = &quot;Could not load file or assembly "System.EnterpriseServices, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a". An attempt was made to load a program with an incorrect format.&quot; I tried to solve this by importing manually the dll that I've found at this location:

I managed to solve this issue. It was not a issue. I previously connected to a datasource using different credentials. Despite me using my current credentials for the new power bi file connection, it was still trying with that other credentials. I had to clear all connection permissions and restart my Power BI and then it worked.

FileNotFoundException: Could not load file or assembly "System nfiguration nfigurationManager, Version=7.0.0.0, Culture=neutral, PublicKeyToken=cc7b13ffcd2ddd51" or one of its dependencies. The system cannot find the file specified. ... Is the contravariant power set functor more &quot;natural&quot; than the covariant power set ...

When I check the GAC using gacutil /l, I see the only line with System.EnterpriseServices is &quot;System.EnterpriseServices.resources&quot; (Public Key fits though) f.e. System.Drawing has a .resources entry as well, but also the entry with no extensions. Any idea what to do to fix the System.EnterpriseServices could not be loaded error? Thanks in advance,

Could not load file or assembly "System.EnterpriseServices, Version=4.0.0.0, Culture=neutral,

## Power bi could not load file or assembly system enterpriseservices

PublicKeyToken=b03f5f7f11d50a3a" or one of its dependencies. Either a required impersonation level was not provided, or the provided impersonation level is invalid. (Exception from HRESULT: 0x80070542) What's going on? Read on for all the gory ...

Despite me using my current credentials for the new power bi file connection, it was still trying with that other credentials. I had to clear all connection permissions and restart ...

(Exception from HRESULT: 0x80070542) File name: "System.EnterpriseServices, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a" ---&gt; System ntime teropServices Exception (0x80070542): Either a required impersonation level was not provided, or the provided impersonation level is invalid.

Everything you need to know about Power BI: news, resources, and a community of super users ready to answer questions! ... "Could not load file or assembly "System.EnterpriseServices, Version=4.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a" or one of its dependencies. Either a required impersonation level was not provided, or the ...

The ultimate Microsoft Fabric, Power BI, Azure AI, and SQL learning event: Join us in Stockholm, September 24-27, 2024. Save EUR200 with code MSCUST on top of early bird pricing! ... Could not load file or assembly "System ntime pilerServices.Unsafe while refresh in service

&quot;Could not load file or assembly "System.EnterpriseServices.Wrapper.dll" or one of its dependencies. The system cannot find the file specified.&quot; Copy File1 location to File 2 location. If it already exists, overwrite it. Make sure all other programs are closed before you continue. File1:



## **Power bi could not load file or assembly system enterpriseservices**